

Package: easytable (via r-universe)

May 13, 2026

Type Package

Title Create Multi-Format Regression Tables

Version 2.1.1.9000

Description Create publication-ready regression tables in multiple formats, including 'Word', 'HTML', 'LaTeX', and 'PDF', from statistical models. Supports `lm()` and `glm()` models. Includes options for marginal effects, control variable grouping, and robust standard errors using methods described in Zeileis (2004) <[doi:10.18637/jss.v011.i10](https://doi.org/10.18637/jss.v011.i10)>. Tables can be exported to 'Word' via 'flextable' or to 'LaTeX' for 'PDF' output.

License MIT + file LICENSE

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Imports dplyr, flextable, magrittr, stats

Suggests knitr, kableExtra, lmtest, sandwich, margins, rmarkdown, testthat (>= 3.0.0), palmerpenguins

VignetteBuilder knitr

URL <https://github.com/alfredo-hs/easytable>

BugReports <https://github.com/alfredo-hs/easytable/issues>

Config/pak/sysreqs

libcairo2-dev cmake libfontconfig1-dev libfreetype6-dev libfribidi-dev make libharfbuzz-dev libicu-dev libjpeg-dev libpng-dev libtiff-dev libuv1-dev libwebp-dev libxml2-dev libssl-dev

Repository <https://alfredo-hs.r-universe.dev>

Date/Publication 2026-05-13 12:39:57 UTC

RemoteUrl <https://github.com/alfredo-hs/easytable>

RemoteRef dev

RemoteSha 98f88b8577f709df195d643acee79c3190fad5b

Contents

easytable	2
format_latex	4
format_word	5

Index	6
--------------	----------

easytable	<i>Create Multi-Format Regression Tables</i>
-----------	--

Description

Takes model objects as arguments and creates formatted tables for Word or LaTeX/PDF output. Supports robust standard errors, marginal effects, and control variable grouping.

Usage

```
easytable(
  ...,
  model.names = NULL,
  output = "word",
  export.word = NULL,
  export.csv = NULL,
  robust.se = FALSE,
  control.var = NULL,
  margins = FALSE,
  highlight = FALSE,
  abbreviate = FALSE,
  table_size = "normalsize",
  digits = 2,
  custom.row = NULL
)
```

Arguments

...	Statistical model objects (lm or glm). Pass models directly like <code>easytable(m1, m2, m3)</code> .
model.names	Character vector of custom names for model columns. If NULL (default), columns are named "Model 1", "Model 2", etc. Length must match number of models.
output	Character string specifying output format. One of: <ul style="list-style-type: none"> "word" - Microsoft Word via flextable (default) "latex" - LaTeX for PDF output
export.word	Character string ending in .docx for Word file export. Only supported when <code>output = "word"</code> . If NULL (default), no file is written.

<code>export.csv</code>	Character string ending in <code>.csv</code> for CSV export. If NULL (default), no CSV file is written.
<code>robust.se</code>	Logical. Use robust standard errors (HC type)? Default FALSE. Requires packages: <code>lmtest</code> , <code>sandwich</code>
<code>control.var</code>	Character vector of variable names to group as "control variables". These will be collapsed into single rows showing "Y" for presence instead of individual coefficients. Default NULL.
<code>margins</code>	Logical. Compute average marginal effects (AME)? Default FALSE. Requires package: <code>margins</code>
<code>highlight</code>	Logical. Highlight significant coefficients (positive in green, negative in red)? Default FALSE. Works best with Word output.
<code>abbreviate</code>	Logical. Abbreviate variable names for readability? Default FALSE. When TRUE, long variable names are shortened using deterministic rules.
<code>table_size</code>	Character string specifying LaTeX table size. Only works with <code>output = "latex"</code> . Options: <code>"tiny"</code> , <code>"small"</code> , <code>"normalsize"</code> , <code>"scriptsize"</code> . Default <code>"normalsize"</code> . Error if used with Word output.
<code>digits</code>	Number of digits after the decimal point for coefficients and standard errors, including the mantissa in scientific notation. Allowed values are 0 to 4. Default 2.
<code>custom.row</code>	Optional character vector for an additional row placed at the bottom of the statistics block. The first element is the row label and each subsequent element is the value for the corresponding model column. The vector must have exactly one more element than the number of models. Default NULL (no extra row).

Details

The function extracts coefficients, standard errors, and p-values from each model, adds significance stars (`***` $p < .01$, `**` $p < .05$, `*` $p < .1$), and includes model fit statistics such as N, R-squared, Adjusted R-squared, and AIC (for `glm` models).

Control variables can be grouped to show presence/absence rather than individual coefficients for each factor level or transformation.

Term labels are automatically formatted for readability:

- Factor levels separated with colon (e.g., `advisor_confidence:low`)
- Interactions shown with a multiplication sign (e.g., `var1 × var2`)
- Polynomial contrasts as L indices (e.g., `var:L1`, `var:L2`)
- Long variable names abbreviated for clarity

Value

Depends on output:

- `"word"` - A flextable object
- `"latex"` - Character string with LaTeX table code

Dependencies

- Always required: dplyr
- Word output: flextable
- LaTeX output: knitr, optionally kableExtra for enhanced formatting
- Robust SE: lmtest, sandwich
- Marginal effects: margins

format_latex

Format table for LaTeX/PDF output

Description

Creates a LaTeX table suitable for PDF documents. Uses booktabs styling and includes significance footnotes via threeparttable package.

Usage

```
format_latex(  
  table,  
  robust.se = FALSE,  
  margins = FALSE,  
  highlight = FALSE,  
  table_size = "normalsize"  
)
```

Arguments

table	A transformed data frame from transform_table()
robust.se	Logical indicating if robust standard errors were used
margins	Logical indicating if marginal effects were computed
highlight	Logical indicating whether to highlight significant results
table_size	LaTeX size command: "tiny", "small", "normalsize", "scriptsize"

Value

A character string containing the LaTeX table code

format_word	<i>Format table for Word output</i>
-------------	-------------------------------------

Description

Creates a flextable object formatted for Microsoft Word documents. Includes significance footnotes, optional highlighting, and notes about robust standard errors or marginal effects.

Usage

```
format_word(table, robust.se = FALSE, margins = FALSE, highlight = FALSE)
```

Arguments

table	A transformed data frame from transform_table()
robust.se	Logical indicating if robust standard errors were used
margins	Logical indicating if marginal effects were computed
highlight	Logical indicating whether to highlight significant results

Value

A flextable object ready for export to Word

Index

easytable, 2

format_latex, 4

format_word, 5